السعودي **الألماني الصحية** الإمارات Saudi German Health UAE

Report on Physiotherapy CROMs,PROMs,PREMs SGH - Ajman Jan – June'2025

List of CROMs & PROMs in Physiotherapy

PROMs

1 – The back pain
functional scale
2 - The Quick DASH
outcome measureShoulder and Hand
3 - Lower Extremity
Functional Scale



1 – Pain score using
Visual Analogue
Scale
2 – Range of Motion
3 – Muscle Strength
Testing

PROJECT SUMMARY - PROMs

AVG. RATE OF IMPROVEMENT REPORTED BY THE PATIENTS DURING SESSIONS



Sample size : 50 patients Sessions monitored :Jan-June'2025

NPS - 92

The Back Pain Function Scale (BPFS) PROM Measures:
(1) any of your usual work housework or school activities
(2) your usual hobbies recreational or sporting activities
(3) performing heavy activities around your home
(4) bending or stooping
(5) putting your shoes or socks (or stockings or pantyhose)
(6) lifting a box of groceries from the floor
(7) sleeping
(8) standing for 1 hour
(9) walking 1 mile
(10) going up or down 2 flights of stairs (about 20 steps)
(11) sitting for 1 hour
(12) driving for 1 hour

PROJECT SUMMARY – PROM Cont'd


AVG. RATE OF IMPROVEMENT REPORTED BY THE PATIENTS DURING SESSIONS

0%

SESSION - 10

Sample size : 50 patients Sessions monitored :Jan-June'2025

NPS - 92



PROJECT SUMMARY – PROM Cont'd

AVG. RATE OF IMPROVEMENT REPORTED BY THE PATIENTS DURING SESSIONS

100%			Session - 10
90%		Constant F	87%
80%		Session – 5	
70%		70%	
60%			
50%			
40%	Session -3		
30%			
20%			
10%			
0% -			
	1	2	3

NPS - 92


Sample size : 50 patients Sessions monitored :Jan-June'25

The Quick DASH outcome measure-Shoulder and Hand PROM Measures: 1.Open a tight or new jar. 2. Do heavy household chores (e.g., wash walls, floors). 3. Carry a shopping bag or briefcase. 4. Wash your back. 5. Use a knife to cut food. 6. Recreational activities in which you take some force or impact through your arm, shoulder or hand (e.g., golf, hammering, tennis, etc.). 7. During the past week, to what extent has your arm, shoulder or hand problem interfered with your normal social activities with family, friends, neighbors or groups? 8. During the past week, were you limited in your work or other regular daily activities as a result of your arm, shoulder or hand problem? 9. Arm, shoulder or hand pain. **10.** Tingling (pins and needles) in your arm, shoulder or hand. 11. During the past week, how much difficulty have you had sleeping because of the pain in your arm, shoulder or hand? 12.spending your usual amount of time doing your work?

PROJECT SUMMARY - CROMs

Sample size : 50 patients **Clinician Reported Outcome measures** Sessions monitored :Jan-June'2025 The Back Pain Function Scale (BPFS): 1 – Pain score using Visual Analogue Scale Avg score of Manual Muscle Testing 2 – Range of Motion 6 3 – Muscle Strength Testing 5 3.1 Avg pain score 10 2 9 8. 8 1st session 5th session 10th session 7 100% 82% 5 80% 61% 5 60% 31% 40% 20% 3 ***** 2 2 1st session 5th session 10th session Avg Rate of Improvement in Range of Motion \cap 10th session 1st session 5th session Linear (Avg Rate of Improvement in Range of Motion)


PROJECT SUMMARY – CROMs Cont'd




PROJECT SUMMARY – CROMs Cont'd

Clinician Reported Outcome measures Lower Extremity Functional Scale (LEFS) 1– Pain score using Visual Analogue Scale 2 – Range of Motion

3 – Muscle Strength Testing





THANK YOU!